

CAKBCC NY, LLC DBA Bonanza  
 Order No.: ONYBRI0116-0004372  
 4376 State Route 64  
 Canandaigua, New York, 14424  
 corey.keller@yahoo.com

Sample: SNYBRI0116-CVAP-0012154  
 Unit Weight: 1.0000g  
 Batch#: 011525IND3, Batch Size: 1000  
 Sample Received: 01/16/2025 05:30  
 Report Created: 01/23/2025 15:48  
 Sampling SOP 204-NY

SFG Vape-Baja Splash-1.0g  
 Concentrates & Extracts, Vape




## Results

<b>816.54 mg/unit</b> D9-THC	<b>35.32 mg/unit</b> CBG
<b>0.00 mg/unit</b> Total CBD	<b>816.54 mg/unit</b> Total THC
<b>881.73 mg/unit</b> Total Cannabinoids	<b>1.974%</b> Total Terpenes

## Tests Summary

<b>Cannabinoids</b> Tested	<b>Moisture</b> Not Tested	<b>Microbials</b> Pass
<b>Water Activity</b> Not Tested	<b>Homogeneity</b> Not Tested	<b>Terpenes</b> Pass
<b>Residual Solvents</b> Pass	<b>Mycotoxins</b> Pass	<b>Heavy Metals</b> Pass
<b>Pesticides</b> Pass		

## Dominant Terpenes





# Certificate of Analysis

Compliance

Adult Use

OCM-CPL-2022-00001  
ACT Laboratories (NY)  
16 Corporate Drive, Halfmoon, New York  
5172272612  
kimberlyk@actlab.com

2 of 7

CAKBCC NY, LLC DBA Bonanza

Order No.: ONYBRI0116-0004372  
4376 State Route 64  
Canandaigua, New York, 14424  
corey.keller@yahoo.com

Sample: SNYBRI0116-CVAP-0012154

Unit Weight: 1.0000g  
Batch#: 011525IND3, Batch Size: 1000  
Sample Received: 01/16/2025 05:30  
Report Created: 01/23/2025 15:48  
Sampling SOP 204-NY

SFG Vape-Baja Splash-1.0g

Concentrates & Extracts, Vape



## Cannabinoids

SOP 801-NY

Date/Time Tested: 01/20/2025 17:54

Tested

Analyte	LOQ (ug/mL)	mg/g	%	mg/unit
CBDV	4,207.34	ND	ND	ND
CBDa	4,207.34	ND	ND	ND
CBGa	4,207.34	ND	ND	ND
CBG	4,207.34	35.32	3.53	35.32
CBD	4,207.34	ND	ND	ND
THCV	4,207.34	8.48	0.85	8.48
CBN	4,207.34	8.31	0.83	8.31
D9-THC	4,207.34	816.54	81.65	816.54
D8-THC	4,207.34	ND	ND	ND
(6aR,9S)-d10-THC	4,207.34	ND	ND	ND
(6aR,9R)-d10-THC	4,207.34	ND	ND	ND
CBC	4,207.34	13.07	1.31	13.07
THCa	4,207.34	ND	ND	ND
Total CBD		0.00	0.00	0.00
Total THC		816.54	81.65	816.54
Total Cannabinoids		881.73	88.17	881.73

### Notes:

Total THC = THCa \* 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC  
Total CBD = CBDa \* 0.877 + CBD  
Total Cannabinoids = Sum of all cannabinoids  
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

## Microbials

SOP 401-NY SOP 619-NY

Date/Time Tested: 01/21/2025 17:20

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	1,000	10,000	ND	Passed
E. Coli		0	ND	Passed
Yeast & Mold	100	1,000	ND	Passed
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

### Notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky  
Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

CAKBCC NY, LLC DBA Bonanza  
 Order No.: ONYBRI0116-0004372  
 4376 State Route 64  
 Canandaigua, New York, 14424  
 corey.keller@yahoo.com

Sample: SNYBRI0116-CVAP-0012154  
 Unit Weight: 1.0000g  
 Batch#: 011525IND3, Batch Size: 1000  
 Sample Received: 01/16/2025 05:30  
 Report Created: 01/23/2025 15:48  
 Sampling SOP 204-NY

SFG Vape-Baja Splash-1.0g  
 Concentrates & Extracts, Vape




## Terpenes

SOP 620-NY  
 Date/Time Tested: 01/20/2025 09:57

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	1.974	Passed	a-Pinene	160	< LOQ		Tested
Limonene	160		0.605	Tested	DL-Menthol	160		ND	Tested
Geranyl Acetate	160		0.391	Tested	Borneol	160		ND	Tested
b-Pinene	160		0.307	Tested	Nerol	160		ND	Tested
b-Myrcene	160		0.162	Tested	Pulegone	160		ND	Tested
trans-Nerolidol	160		0.104	Tested	Geraniol	160		ND	Tested
Linalool	160		0.077	Tested	p-Cymene	160	< LOQ		Tested
Terpinolene	160		0.072	Tested	a-Cedrene	160		ND	Tested
a-Bisabolol	160		0.068	Tested	a-Terpinene	160		ND	Tested
g-Terpinene	160		0.058	Tested	d-3-Carene	160		ND	Tested
b-Caryophyllene	160		0.057	Tested	Valencene	160		ND	Tested
Eucalyptol	160		0.042	Tested	cis-Nerolidol	160	< LOQ		Tested
a-Humulene	160		0.030	Tested	a-Phellandrene	160		ND	Tested
Isoborneol	160		ND	Tested	Guaiol	160		ND	Tested
Camphene	160		ND	Tested	Caryophyllene Oxide	160	< LOQ		Tested
Sabinene Hydrate	160		ND	Tested	Cedrol	160		ND	Tested
Fenchol	160		< LOQ	Tested	Sabinene	160		ND	Tested
Fenchone	160		ND	Tested	trans-b-Ocimene	160		ND	Tested
Isopulegol	160		ND	Tested	trans-b-Farnesene	160		ND	Tested
Camphor	160		ND	Tested	Terpineol	160	< LOQ		Tested

**Notes:**  
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

**Kimberly Krisolofsky**  
 Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



# Certificate of Analysis

OCM-CPL-2022-00001  
 ACT Laboratories (NY)  
 16 Corporate Drive, Halfmoon, New York  
 5172272612  
 kimberlyk@actlab.com

Compliance

Adult Use

4 of 7

CAKBCC NY, LLC DBA Bonanza  
 Order No.: ONYBRI0116-0004372  
 4376 State Route 64  
 Canandaigua, New York, 14424  
 corey.keller@yahoo.com

Sample: SNYBRI0116-CVAP-0012154  
 Unit Weight: 1.0000g  
 Batch#: 011525IND3, Batch Size: 1000  
 Sample Received: 01/16/2025 05:30  
 Report Created: 01/23/2025 15:48  
 Sampling SOP 204-NY

SFG Vape-Baja Splash-1.0g  
 Concentrates & Extracts, Vape



## Residual Solvents

SOP 612-NY  
 Date/Time Tested: 01/20/2025 12:14

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	37	5,000	ND	Passed
Acetonitrile	15	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	37	5,000	ND	Passed
Chloroform	2	60	ND	Passed
Ethanol	186	5,000	< LOQ	Passed
Ethyl Acetate	186	5,000	ND	Passed
Ethyl Ether	19	5,000	ND	Passed
DMSO	93	5,000	ND	Passed
Heptane	19	5,000	< LOQ	Passed
Hexanes	6	290	ND	Passed
Isopropyl Alcohol	186	5,000	ND	Passed
Methanol	112	3,000	ND	Passed
Methylene Chloride	2	600	ND	Passed
Pentanes	56	5,000	ND	Passed
Propane	19	5,000	ND	Passed
Toluene	3	890	ND	Passed
Trichloroethane	4,660	1,500	ND	Passed
Xylenes	246	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	19	1,000	ND	Passed

**Notes:**  
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

## Mycotoxins

SOP 808-NY  
 Date/Time Tested: 01/20/2025 09:00

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status	Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	5.0		ND	Tested	Ochratoxin A	5.0	20.0	ND	Passed
B2	5.0		ND	Tested	Total Aflatoxins		20.0	ND	Passed
G1	5.0		ND	Tested	Total Mycotoxins			ND	Tested
G2	5.0		ND	Tested					

**Notes:**  
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



**Kimberly Krisolofsky**  
 Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



# Certificate of Analysis

Compliance

Adult Use

OCM-CPL-2022-00001  
ACT Laboratories (NY)  
16 Corporate Drive, Halfmoon, New York  
5172272612  
kimberlyk@actlab.com

CAKBCC NY, LLC DBA Bonanza  
Order No.: ONYBRI0116-0004372  
4376 State Route 64  
Canandaigua, New York, 14424  
corey.keller@yahoo.com

Sample: SNYBRI0116-CVAP-0012154  
Unit Weight: 1.0000g  
Batch#: 011525IND3, Batch Size: 1000  
Sample Received: 01/16/2025 05:30  
Report Created: 01/23/2025 15:48  
Sampling SOP 204-NY

SFG Vape-Baja Splash-1.0g  
Concentrates & Extracts, Vape



## Heavy Metals

SOP 250-NY  
Date/Time Tested: 01/21/2025 10:49

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.188	2.000	ND	Passed
Arsenic	0.188	0.200	ND	Passed
Cadmium	0.188	0.200	ND	Passed
Chromium	0.188	110.000	< LOQ	Passed
Copper	0.226	30.000	<b>1.000</b>	Passed
Mercury	0.045	0.100	ND	Passed
Nickel	0.226	2.000	ND	Passed
Lead	0.188	0.500	< LOQ	Passed

### Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



**Kimberly Krisolofsky**  
Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

CAKBCC NY, LLC DBA Bonanza  
 Order No.: ONYBRI0116-0004372  
 4376 State Route 64  
 Canandaigua, New York, 14424  
 corey.keller@yahoo.com

Sample: SNYBRI0116-CVAP-0012154  
 Unit Weight: 1.0000g  
 Batch#: 011525IND3, Batch Size: 1000  
 Sample Received: 01/16/2025 05:30  
 Report Created: 01/23/2025 15:48  
 Sampling SOP 204-NY

SFG Vape-Baja Splash-1.0g  
 Concentrates & Extracts, Vape



## Pesticides

SOP 814-NY  
 Date/Time Tested: 01/19/2025 17:13

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.36	0.50	ND	Passed
Acephate	0.09	0.40	ND	Passed
Acequinocyl	0.09	2.00	ND	Passed
Acetamiprid	0.09	0.20	ND	Passed
Aldicarb	0.09	0.40	ND	Passed
Azoxystrobin	0.09	0.20	ND	Passed
Bifenazate	0.09	0.20	ND	Passed
Bifenthrin	0.09	0.20	ND	Passed
Boscalid	0.09	0.40	ND	Passed
Carbaryl	0.09	0.20	ND	Passed
Carbofuran	0.09	0.20	ND	Passed
Chlorantraniliprole	0.09	0.20	ND	Passed
Chlorpyrifos	0.09	0.20	ND	Passed
Clofentezine	0.09	0.20	ND	Passed
Coumaphos	0.09	1.00	ND	Passed
Cyfluthrin	0.46	1.00	ND	Passed
Cypermethrin	0.09	1.00	ND	Passed
Daminozide	0.09	1.00	ND	Passed
Diazinon	0.09	0.20	ND	Passed
Dichlorvos	0.09	1.00	ND	Passed
Dimethoate	0.09	0.20	ND	Passed
Dimethomorph	0.09	1.00	ND	Passed
Ethoprophos	0.09	0.20	ND	Passed
Etofenprox	0.09	0.40	ND	Passed
Etoxazole	0.09	0.20	ND	Passed
Fenhexamid	0.09	1.00	ND	Passed
Fenoxycarb	0.09	0.20	ND	Passed
Fenpyroximate	0.09	0.40	ND	Passed
Fipronil	0.09	0.40	ND	Passed
Fonicamid	0.09	1.00	ND	Passed
Fludioxonil	0.09	0.40	ND	Passed
Hexythiazox	0.09	1.00	ND	Passed
Imazalil	0.09	0.20	ND	Passed
Imidacloprid	0.09	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.09	0.40	ND	Passed
Malathion	0.09	0.20	ND	Passed
Mevinphos	0.09	1.00	ND	Passed
Metalaxyl	0.09	0.20	ND	Passed
Methiocarb	0.09	0.20	ND	Passed
Methomyl	0.09	0.40	ND	Passed



*Kimberly Krisolofsky*

**Kimberly Krisolofsky**  
 Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



# Certificate of Analysis

OCM-CPL-2022-00001  
 ACT Laboratories (NY)  
 16 Corporate Drive, Halfmoon, New York  
 5172272612  
 kimberlyk@actlab.com

Compliance

Adult Use

7 of 7

CAKBCC NY, LLC DBA Bonanza

Order No.: ONYBRI0116-0004372  
 4376 State Route 64  
 Canandaigua, New York, 14424  
 corey.keller@yahoo.com

Sample: SNYBRI0116-CVAP-0012154

Unit Weight: 1.0000g  
 Batch#: 011525IND3, Batch Size: 1000  
 Sample Received: 01/16/2025 05:30  
 Report Created: 01/23/2025 15:48  
 Sampling SOP 204-NY

SFG Vape-Baja Splash-1.0g

Concentrates & Extracts, Vape



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.09	0.20	ND	Passed
Naled	0.09	0.50	ND	Passed
Oxamyl	0.09	1.00	ND	Passed
Paclobutrazol	0.09	0.40	ND	Passed
Permethrin	0.09	0.20	ND	Passed
Phosmet	0.09	0.20	ND	Passed
Piperonyl Butoxide	0.09	2.00	ND	Passed
Prallethrin	0.09	0.20	ND	Passed
Propiconazole	0.09	0.40	ND	Passed
Propoxur	0.09	0.20	ND	Passed
Pyrethrins	0.06	1.00	ND	Passed
Pyridaben	0.09	0.20	ND	Passed
Spinetoram	0.09	1.00	ND	Passed
Spinosyn AD	0.09	0.20	ND	Passed
Spiromesifen	0.09	0.20	ND	Passed
Spirotetramat	0.09	0.20	ND	Passed
Spiroxamine	0.09	0.20	ND	Passed
Tebuconazole	0.09	0.40	ND	Passed
Thiacloprid	0.09	0.20	ND	Passed
Thiamethoxam	0.09	0.20	ND	Passed
Trifloxystrobin	0.09	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.09	0.20	ND	Passed
Chlordane	0.09	1.00	ND	Passed
Chlorfenapyr	0.09	1.00	ND	Passed
PCNB	0.09	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

**Notes:**

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.



**Kimberly Krisolofsky**  
 Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.