

CAKBCC NY LLC DBA Bonanza
 Order No.: ONYCAK0225-0005045
 4376 State Route 64
 Canandaigua, New York, 14424
 corey.keller@yahoo.com

Sample: SNYCAK0225-CVAP-0013067
 Strain: Cool Blue, Unit Weight: 2.0000g
 Batch#: 021825SAT3, Batch Size: 500
 Sample Received: 02/25/2025 08:56
 Report Created: 03/01/2025 19:25
 Sampling SOP 204-NY

SFG Vape - Cool Blue - 2.0g
 Concentrates & Extracts, Vape





Results

1,572.04 mg/unit D9-THC	150.57 mg/unit CBG
0.00 mg/unit Total CBD	1,572.04 mg/unit Total THC
1,742.27 mg/unit Total Cannabinoids	1.568% Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Pass
Water Activity Not Tested	Homogeneity Not Tested	Terpenes Pass
Residual Solvents Pass	Mycotoxins Pass	Heavy Metals Pass
Pesticides Pass		

Dominant Terpenes





Certificate of Analysis

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Compliance

Adult Use

2 of 7

CAKBCC NY LLC DBA Bonanza

Order No.: ONYCAK0225-0005045
4376 State Route 64
Canandaigua, New York, 14424
corey.keller@yahoo.com

Sample: SNYCAK0225-CVAP-0013067

Strain: Cool Blue, Unit Weight: 2.0000g
Batch#: 021825SAT3, Batch Size: 500
Sample Received: 02/25/2025 08:56
Report Created: 03/01/2025 19:25
Sampling SOP 204-NY

SFG Vape - Cool Blue - 2.0g
Concentrates & Extracts, Vape



Cannabinoids

SOP 801-NY
Date/Time Tested: 02/27/2025 14:45

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/unit
CBDV	4,654.04	ND	ND	ND
CBDa	4,654.04	ND	ND	ND
CBGa	4,654.04	ND	ND	ND
CBG	4,654.04	7.53	75.28	150.57
CBD	4,654.04	ND	ND	ND
THCV	4,654.04	< LOQ	< LOQ	< LOQ
CBN	4,654.04	< LOQ	< LOQ	< LOQ
D9-THC	4,654.04	78.60	786.02	1,572.04
D8-THC	4,654.04	ND	ND	ND
(6aR,9S)-d10-THC	4,654.04	ND	ND	ND
(6aR,9R)-d10-THC	4,654.04	ND	ND	ND
CBC	4,654.04	0.98	9.83	19.66
THCa	4,654.04	ND	ND	ND
Total CBD		0.00	0.00	0.00
Total THC		78.60	786.02	1,572.04
Total Cannabinoids		87.11	871.13	1,742.27

Notes:
Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
Total CBD = CBDa * 0.877 + CBD
Total Cannabinoids = Sum of all cannabinoids
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Microbials

SOP 401-NY SOP 418-NY
Date/Time Tested: 02/28/2025 16:30

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	1,000	10,000	ND	Passed
E. Coli		0	ND	Passed
Yeast & Mold	100	1,000	ND	Passed
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

Notes:
Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

Compliance

Adult Use

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

3 of 7

CAKBCC NY LLC DBA Bonanza
Order No.: ONYCAK0225-0005045
4376 State Route 64
Canandaigua, New York, 14424
corey.keller@yahoo.com

Sample: SNYCAK0225-CVAP-0013067
Strain: Cool Blue, Unit Weight: 2.0000g
Batch#: 021825SAT3, Batch Size: 500
Sample Received: 02/25/2025 08:56
Report Created: 03/01/2025 19:25
Sampling SOP 204-NY

SFG Vape - Cool Blue - 2.0g
Concentrates & Extracts, Vape



Terpenes

SOP 620-NY
Date/Time Tested: 02/26/2025 10:48

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	1.568	Passed	a-Terpinene	160		ND	Tested
b-Caryophyllene	160		0.332	Tested	Borneol	160		ND	Tested
Linalool	160		0.290	Tested	Terpineol	160		ND	Tested
b-Pinene	160		0.269	Tested	Nerol	160		ND	Tested
a-Pinene	160		0.266	Tested	Pulegone	160		ND	Tested
Limonene	160		0.180	Tested	Geraniol	160		ND	Tested
DL-Menthol	160		0.141	Tested	Geranyl Acetate	160		ND	Tested
b-Myrcene	160		0.070	Tested	a-Cedrene	160		ND	Tested
a-Humulene	160		0.021	Tested	Sabinene	160		ND	Tested
Camphene	160		ND	Tested	d-3-Carene	160		ND	Tested
a-Phellandrene	160		ND	Tested	Valencene	160		ND	Tested
Eucalyptol	160		ND	Tested	cis-Nerolidol	160		ND	Tested
g-Terpinene	160		ND	Tested	trans-Nerolidol	160		ND	Tested
Terpinolene	160		ND	Tested	Guaiol	160		ND	Tested
Fenchol	160		ND	Tested	Caryophyllene Oxide	160		< LOQ	Tested
Sabinene Hydrate	160		ND	Tested	Cedrol	160		ND	Tested
p-Cymene	160		ND	Tested	a-Bisabolol	160		< LOQ	Tested
Fenchone	160		ND	Tested	trans-b-Ocimene	160		ND	Tested
Camphor	160		ND	Tested	trans-b-Farnesene	160		ND	Tested
Isoborneol	160		ND	Tested	Isopulegol	160		ND	Tested

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Compliance

Adult Use

4 of 7

CAKBCC NY LLC DBA Bonanza
Order No.: ONYCAK0225-0005045
4376 State Route 64
Canandaigua, New York, 14424
corey.keller@yahoo.com

Sample: SNYCAK0225-CVAP-0013067
Strain: Cool Blue, Unit Weight: 2.0000g
Batch#: 021825SAT3, Batch Size: 500
Sample Received: 02/25/2025 08:56
Report Created: 03/01/2025 19:25
Sampling SOP 204-NY

SFG Vape - Cool Blue - 2.0g
Concentrates & Extracts, Vape



Residual Solvents

SOP 612-NY
Date/Time Tested: 02/26/2025 13:32

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	42	5,000	ND	Passed
Acetonitrile	17	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	42	5,000	ND	Passed
Chloroform	2	60	ND	Passed
Ethanol	210	5,000	< LOQ	Passed
Ethyl Acetate	210	5,000	ND	Passed
Ethyl Ether	21	5,000	ND	Passed
DMSO	105	5,000	ND	Passed
Heptane	21	5,000	ND	Passed
Hexanes	6	290	ND	Passed
Isopropyl Alcohol	210	5,000	< LOQ	Passed
Methanol	126	3,000	ND	Passed
Methylene Chloride	3	600	ND	Passed
Pentanes	63	5,000	ND	Passed
Propane	21	5,000	ND	Passed
Toluene	4	890	ND	Passed
Trichloroethane	5,241	1,500	ND	Passed
Xylenes	277	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	21	1,000	ND	Passed

Notes:
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

Mycotoxins

SOP 808-NY
Date/Time Tested: 02/26/2025 11:15

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status	Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.8		ND	Tested	Ochratoxin A	4.8	20.0	ND	Passed
B2	4.8		ND	Tested	Total Aflatoxins		20.0	ND	Passed
G1	4.8		ND	Tested	Total Mycotoxins			ND	Tested
G2	4.8		ND	Tested					

Notes:
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

Compliance

Adult Use

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

5 of 7

CAKBCC NY LLC DBA Bonanza

Order No.: ONYCAK0225-0005045
4376 State Route 64
Canandaigua, New York, 14424
corey.keller@yahoo.com

Sample: SNYCAK0225-CVAP-0013067

Strain: Cool Blue, Unit Weight: 2.0000g
Batch#: 021825SAT3, Batch Size: 500
Sample Created: 02/25/2025 08:56
Report Created: 03/01/2025 19:25
Sampling SOP 204-NY

SFG Vape - Cool Blue - 2.0g
Concentrates & Extracts, Vape



Heavy Metals

SOP 250-NY
Date/Time Tested: 02/27/2025 11:27

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.192	2.000	ND	Passed
Arsenic	0.192	0.200	ND	Passed
Cadmium	0.192	0.200	ND	Passed
Chromium	0.192	110.000	ND	Passed
Copper	0.231	30.000	ND	Passed
Mercury	0.046	0.100	ND	Passed
Nickel	0.231	2.000	ND	Passed
Lead	0.192	0.500	ND	Passed

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

CAKBCC NY LLC DBA Bonanza
 Order No.: ONYCAK0225-0005045
 4376 State Route 64
 Canandaigua, New York, 14424
 corey.keller@yahoo.com

Sample: SNYCAK0225-CVAP-0013067
 Strain: Cool Blue, Unit Weight: 2.0000g
 Batch#: 021825SAT3, Batch Size: 500
 Sample Received: 02/25/2025 08:56
 Report Created: 03/01/2025 19:25
 Sampling SOP 204-NY

SFG Vape - Cool Blue - 2.0g
 Concentrates & Extracts, Vape



Pesticides

SOP 814-NY
 Date/Time Tested: 02/26/2025 09:50

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.37	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	ND	Passed
Bifenthrin	0.10	0.20	ND	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.48	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	ND	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Fonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed
Mevinphos	0.10	1.00	ND	Passed
Metalaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed
Methomyl	0.10	0.40	ND	Passed



Kimberly Krisolofsky

Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

CAKBCC NY LLC DBA Bonanza
 Order No.: ONYCAK0225-0005045
 4376 State Route 64
 Canandaigua, New York, 14424
 corey.keller@yahoo.com

Sample: SNYCAK0225-CVAP-0013067
 Strain: Cool Blue, Unit Weight: 2.0000g
 Batch#: 021825SAT3, Batch Size: 500
 Sample Received: 02/25/2025 08:56
 Report Created: 03/01/2025 19:25
 Sampling SOP 204-NY

SFG Vape - Cool Blue - 2.0g
 Concentrates & Extracts, Vape



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	ND	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	ND	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	ND	Passed
Chlorfenapyr	0.10	1.00	ND	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.




Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.