

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Sample Result: PASS

Date Reported:	5/6/2025	Sample ID:	20250428-BONZ-006
Client Name:	CAKBCC NY, LLC dba Bonanza	Sample Name:	Bonanza Cherry Diesel Vape 2.0g
Sampling Location:	Wellsville, New York	Sample Matrix:	Concentrate
Contact Name:	Conlan Keller	Sample Sub Type:	Vape
Contact Email:	bonanzacannabisny@gmail.com	Package ID:	5204
License Number:	OCM-PROC-24-000113	Batch Lot ID:	2g042825HYB2
Medical/Adult Use:	Adult Use	Batch Size:	150
Sampling Date:	04/28/2025 01:00:00 PM	Serving Size (g):	0.01

Potency	T	Pesticides	P	Heavy Metals	P	Mycotoxins	P
Water Activity	-	Microbiological	P	Residual Solvents	P	Terpenes	P
		Moisture	-	Filth & Foreign Material	-		

"-" = Not Tested; "T" = Tested; "P" = Pass; "F" = Fail

Cannabinoids: Bonanza Cherry Diesel Vape 2.0g (20250428-BONZ-006)

Potency analysis utilizing HPLC (HPLC-UV: SOP-073-GA)

Analyte	% w/w	mg/serving	MRL (% w/w)
CBDV	< MRL	< MRL	0.327
CBDA	< MRL	< MRL	0.327
CBGA	< MRL	< MRL	0.327
CBG	4.399	0.440	0.327
CBD	7.768	0.777	0.327
THCV	0.526	0.053	0.327
CBN	1.216	0.122	0.327
D9-THC	82.623	8.262	0.327
D8-THC	< MRL	< MRL	0.327
D10-THC-S	< MRL	< MRL	0.327
D10-THC-R	< MRL	< MRL	0.327
CBC	1.394	0.139	0.327
THCA	< MRL	< MRL	0.327

MRL = Minimum reporting limit/limit of quantification
mg/serving = % w/w x10 x serving size weight (g)

Test ID: #105516 | Date Tested: 05/02/2025 05:06 AM

Potency Summary	% w/w	mg/serving
Total THC [$\Delta 8$ -THC + $\Delta 9$ -THC + $\Delta 10$ -THC + (THCA * 0.877)]	82.623	8.262
Total CBD [CBD + (CBDA * 0.877)]	7.768	0.777
Total Cannabinoids	97.926	9.793



Version 2: Correction to batch ID and serving size per client request -
KAR 05/06/2025

Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Terpenes: Bonanza Cherry Diesel Vape 2.0g (20250428-BONZ-006)

Terpenes analysis utilizing GC-MS (GC-MS: SOP-063-GA, SOP-069-GA)

Analyte	Result (% w/w)	MRL (% w/w)
alpha-Pinene	0.52	0.09
Camphene	< MRL	0.09
Sabinene	< MRL	0.09
beta-Pinene	1.12	0.09
beta-Myrcene	< MRL	0.09
Alpha-phellandrene	< MRL	0.09
Carene	< MRL	0.09
alpha-terpinene	< MRL	0.09
p-Cymene	< MRL	0.09
Limonene	0.43	0.09
Eucalyptol	< MRL	0.09
Ocimene	< MRL	0.07
gamma-Terpinene	< MRL	0.09
Sabinene Hydrate	< MRL	0.09
Terpinolene	< MRL	0.09
Linalool	< MRL	0.09
Fenchol	< MRL	0.09
Menthol	< MRL	0.09
Terpineol	< MRL	0.09
Citronellol	< MRL	0.09
Isopulegol	< MRL	0.09
Geraniol	< MRL	0.09
Alpha-cedrene	< MRL	0.07
Beta-Caryophyllene	< MRL	0.09
Farnesene	< MRL	0.09
alpha-Humulene	< MRL	0.09
Valencene	< MRL	0.09
cis-Nerolidol	< MRL	0.04
trans-Nerolidol	< MRL	0.06
Caryophyllene oxide	< MRL	0.09
Guaial	< MRL	0.09
alpha-Bisabolol	< MRL	0.09

MRL = Minimum reporting limit/limit of quantification

Test ID: #105521 | Date Tested: 05/04/2025 12:01 PM

Terpenes Summary	Result	Limit	Pass/Fail
Total Terpenes (% w/w)	2.07	10	PASS



Version 2: Correction to batch ID and serving size per client request -
KAR 05/06/2025

Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits.

Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Residual Solvents: Bonanza Cherry Diesel Vape 2.0g (20250428-BONZ-006) PASS

Residual solvents and processing chemicals analysis utilizing Headspace Gas Chromatography – Mass Spectrometry (GC-MS: SOP-067-GA, SOP-010-GA)

Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
1,2-Dichloroethane	PASS	< MRL	5	4.108
2-Propanol	PASS	< MRL	5000	615.510
Acetone	PASS	< MRL	5000	2532.701
Acetonitrile	PASS	< MRL	410	50.472
Butanes, total	PASS	< MRL	5000	615.510
Benzene	PASS	< MRL	2	0.822
Chloroform	PASS	< MRL	60	7.386
Dichloromethane	PASS	< MRL	600	73.861
Dimethyl Sulfoxide	PASS	< MRL	5000	1107.918
Ethanol	PASS	< MRL	5000	615.510
Ethyl acetate	PASS	< MRL	5000	615.510
Ethyl ether	PASS	< MRL	5000	615.510
n-Heptane	PASS	< MRL	5000	615.510
Hexanes, total	PASS	< MRL	290	35.700
Methanol	PASS	< MRL	3000	369.307
Pentanes, total	PASS	< MRL	5000	615.510
Propane	PASS	< MRL	5000	615.510
Tetrafluoroethane (1,1,1,2-) (HFC-134a)	PASS	< MRL	1000	398.851
Toluene	PASS	< MRL	890	109.561
Trichloroethane	PASS	< MRL	1500	1107.918
Xylenes, total	PASS	< MRL	2170	267.132

MRL = Minimum reporting limit/limit of quantification

Test ID: #105519 | Date Tested: 05/02/2025 10:31 AM



**Version 2: Correction to batch ID and serving size per client request -
KAR 05/06/2025**

Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.

Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Pesticides: Bonanza Cherry Diesel Vape 2.0g (20250428-BONZ-006) PASS

Residual pesticide analysis utilizing Liquid Chromatography - Mass Spectrometry (LC-MS/MS: SOP-062-GA, SOP-070-GA)

Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Abamectin	PASS	< MRL	0.50	0.100
Acephate	PASS	< MRL	0.40	0.100
Acequinocyl	PASS	< MRL	2.00	0.100
Acetamiprid	PASS	< MRL	0.20	0.100
Aldicarb	PASS	< MRL	0.40	0.100
Azadirachtin	PASS	< MRL	1.00	0.250
Azoxystrobin	PASS	< MRL	0.20	0.100
Bifenazate	PASS	< MRL	0.20	0.100
Bifenthrin	PASS	< MRL	0.20	0.100
Boscalid	PASS	< MRL	0.40	0.100
Captan	PASS	< MRL	1.00	0.500
Carbaryl	PASS	< MRL	0.20	0.100
Carbofuran	PASS	< MRL	0.20	0.100
Chlorantranilprole	PASS	< MRL	0.20	0.100
Chlordane	PASS	< MRL	1.00	0.250
Chlorfenapyr	PASS	< MRL	1.00	0.050
Chlormequat chloride	PASS	< MRL	1.00	0.100
Chlorpyrifos	PASS	< MRL	0.20	0.100
Clofentezine	PASS	< MRL	0.20	0.100
Coumaphos	PASS	< MRL	1.00	0.100
Cyfluthrin	PASS	< MRL	1.00	0.100
Cypermethrin	PASS	< MRL	1.00	0.100
Daminozide	PASS	< MRL	1.00	0.100
Diazinon	PASS	< MRL	0.20	0.100
Dichlorvos	PASS	< MRL	1.00	0.100
Dimethoate	PASS	< MRL	0.20	0.100
Dimethomorph	PASS	< MRL	1.00	0.100
Ethoprophos	PASS	< MRL	0.20	0.100
Etofenprox	PASS	< MRL	0.40	0.100
Etiozazole	PASS	< MRL	0.20	0.100
Fenhexamid	PASS	< MRL	1.00	0.100
Fenoxycarb	PASS	< MRL	0.20	0.100
Fenpyroximate	PASS	< MRL	0.40	0.100
Fipronil	PASS	< MRL	0.40	0.100
Flonicamid	PASS	< MRL	1.00	0.100
Fludioxonil	PASS	< MRL	0.40	0.100
Hexythiazox	PASS	< MRL	1.00	0.100
Imazalil	PASS	< MRL	0.20	0.100
Imidacloprid	PASS	< MRL	0.40	0.100
Indole-3-butyric acid	PASS	< MRL	1.00	0.250
Kresoxim-methyl	PASS	< MRL	0.40	0.100
Malathion	PASS	< MRL	0.20	0.100
Metalaxyl	PASS	< MRL	0.20	0.100
Methiocarb	PASS	< MRL	0.20	0.100
Methomyl	PASS	< MRL	0.40	0.100
Methyl Parathion	PASS	< MRL	0.20	0.050
Mevinphos	PASS	< MRL	1.00	0.100
MGK-264 I/II	PASS	< MRL	0.20	0.100
Myclobutanil	PASS	< MRL	0.20	0.100
Naled	PASS	< MRL	0.50	0.100
Oxamyl	PASS	< MRL	1.00	0.100
Paclobutrazol	PASS	< MRL	0.40	0.100
Pentachloronitrobenzene	PASS	< MRL	1.00	0.250
Permethrins, total	PASS	< MRL	0.20	0.100
Phosmet	PASS	< MRL	0.20	0.100
Piperonyl butoxide	PASS	< MRL	2.00	0.100
Prallethrin	PASS	< MRL	0.20	0.100
Propiconazole	PASS	< MRL	0.40	0.100
Propoxur	PASS	< MRL	0.20	0.100
Pyrethrins	PASS	< MRL	1.00	0.100
Pyridaben	PASS	< MRL	0.20	0.100
Spinetoram, Total	PASS	< MRL	1.00	0.100
Spinosad, Total	PASS	< MRL	0.20	0.100
Spiromesifen	PASS	< MRL	0.20	0.100
Spirotetramat	PASS	< MRL	0.20	0.100
Spiroxamine	PASS	< MRL	0.20	0.100
Tebuconazole	PASS	< MRL	0.40	0.100
Thiacloprid	PASS	< MRL	0.20	0.100
Thiamethoxam	PASS	< MRL	0.20	0.100
Trifloxystrobin	PASS	< MRL	0.20	0.100

MRL = Minimum reporting limit/limit of quantification

Test ID: #105520 | Date Tested: 05/03/2025 12:01 PM



Version 2: Correction to batch ID and serving size per client request -
KAR 05/06/2025

Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits.

Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Mycotoxins: Bonanza Cherry Diesel Vape 2.0g (20250428-BONZ-006)					PASS
Mycotoxin analysis utilizing Liquid Chromatography - Mass Spectrometry (LC-MS/MS: SOP-062-GA, SOP-070-GA)					
Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)	
Ochratoxin	PASS	< MRL	0.02	0.010	
Total Aflatoxins	PASS	< MRL	0.02	0.010	
MRL = Minimum reporting limit/limit of quantification			Test ID: #105517 Date Tested: 05/03/2025 12:03 PM		

Heavy Metals: Bonanza Cherry Diesel Vape 2.0g (20250428-BONZ-006)					PASS
Heavy Metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (ICP-MS: SOP-061-NY, SOP-072-GA)					
Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)	
Chromium	PASS	< MRL	110.0	8.00	
Nickel	PASS	< MRL	2.0	1.00	
Copper	PASS	< MRL	30.0	8.00	
Arsenic	PASS	< MRL	0.2	0.10	
Cadmium	PASS	< MRL	0.2	0.10	
Antimony	PASS	< MRL	2.0	1.00	
Mercury	PASS	< MRL	0.1	0.05	
Lead	PASS	< MRL	0.5	0.20	
MRL = Minimum reporting limit/limit of quantification			Test ID: #105518 Date Tested: 04/30/2025 04:37 PM		

Microbiological Screen: Bonanza Cherry Diesel Vape 2.0g (20250428-BONZ-006)					PASS
Microbial analysis utilizing quantitative Polymerase Chain Reaction and microbial enumeration (qPCR; SOP-700-NY, SOP-701-NY)					
Analyte	Pass/Fail	Results (CFU/g)	Limit (CFU/g)	MRL (CFU/g)	
Total Aerobic Bacteria	PASS	< MRL	10000	100	
Total Yeast & Mold	PASS	< MRL	1000	100	
Salmonella spp	PASS	Absent	Absent	1	
Shiga toxin-producing E. coli	PASS	Absent	Absent	1	
Aspergillus (fumigatus, flavus, niger, terreus)	PASS	Absent	Absent	1	
MRL = Minimum reporting limit/limit of quantification			Test ID: #105522 Date Tested: 05/01/2025 01:56 PM		



Matthew Elmes
Lab Director
5/6/2025

Deviations: Potency data normalized

**Version 2: Correction to batch ID and serving size per client request -
KAR 05/06/2025**

Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.