

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

### Sample Result: PASS

|                           |                             |                          |  |
|---------------------------|-----------------------------|--------------------------|--|
| <b>Date Reported:</b>     | 4/30/2026                   | <b>Sample ID:</b>        | 20260423-BONZ-013                        |
| <b>Client Name:</b>       | CAKBCC NY, LLC dba Bonanza  | <b>Sample Name:</b>      | 1g Cartridge - Baja Splash Ind - Bonanza |
| <b>Sampling Location:</b> | Wellsville, New York        | <b>Sample Matrix:</b>    | Concentrate                              |
| <b>Contact Name:</b>      | Conlan Keller               | <b>Sample Sub Type:</b>  | Vape                                     |
| <b>Contact Email:</b>     | bonanzacannabisny@gmail.com | <b>Package ID:</b>       | 1A4120300001C9C000000579                 |
| <b>License Number:</b>    | OCM-PROC-24-000113          | <b>Batch Lot ID:</b>     | 1g041726IND3                             |
| <b>Medical/Adult Use:</b> | Adult Use                   | <b>Batch Size:</b>       | 600                                      |
| <b>Sampling Date:</b>     | 04/23/2026 11:00:00 AM      | <b>Serving Size (g):</b> | 0.01                                     |
| <b>METRC Test Tag ID:</b> | 1A4120300001C9C000000579    | <b>METRC Source ID:</b>  | 1A4120300001C9C000000551                 |

|                       |           |                        |           |                                     |           |                   |          |
|-----------------------|-----------|------------------------|-----------|-------------------------------------|-----------|-------------------|----------|
| <b>Potency</b>        | <b>T</b>  | <b>Pesticides</b>      | <b>P</b>  | <b>Heavy Metals</b>                 | <b>P</b>  | <b>Mycotoxins</b> | <b>P</b> |
| <b>Water Activity</b> | <b>NT</b> | <b>Microbiological</b> | <b>P</b>  | <b>Residual Solvents</b>            | <b>P</b>  | <b>Terpenes</b>   | <b>P</b> |
|                       |           | <b>Moisture</b>        | <b>NT</b> | <b>Filth &amp; Foreign Material</b> | <b>NT</b> |                   |          |

"NT" = Not Tested; "T" = Tested; "P" = Pass; "F" = Fail

| Cannabinoids: 1g Cartridge - Baja Splash Ind - Bonanza (20260423-BONZ-013) |        |            |             |
|--|--------|------------|-------------|
| Potency analysis utilizing HPLC (SOP-025-NY, SOP-073-NY)                   |        |            |             |
| Analyte  | % w/w  | mg/serving | MRL (% w/w) |
| CBDV   | < MRL  | < MRL      | 0.336       |
| CBDA   | < MRL  | < MRL      | 0.336       |
| CBGA   | < MRL  | < MRL      | 0.336       |
| CBG  | 4.370  | 0.437      | 0.336       |
| CBD  | 0.761  | 0.076      | 0.336       |
| THCV   | 0.391  | 0.039      | 0.336       |
| CBN  | 0.854  | 0.085      | 0.336       |
| D9-THC   | 82.138 | 8.214      | 0.336       |
| D8-THC   | < MRL  | < MRL      | 0.336       |
| D10-THC-S  | < MRL  | < MRL      | 0.336       |
| D10-THC-R  | < MRL  | < MRL      | 0.336       |
| CBC  | 2.006  | 0.201      | 0.336       |
| THCA   | < MRL  | < MRL      | 0.336       |

MRL = Minimum reporting limit/limit of quantification  
mg/serving = % w/w x10 x serving size weight (g)

Test ID: #239966 | Date Tested: 04/28/2026 08:48 AM

| Potency Summary   | % w/w  | mg/serving |
|---|--------|------------|
| <b>Total THC</b> [ Δ8-THC + Δ9-THC + Δ10-THC + (THCA * 0.877) ] | 82.138 | 8.214      |
| <b>Total CBD</b> [ CBD + (CBDA * 0.877) ]                       | 0.761  | 0.076      |
| <b>Total Cannabinoids</b>                                       | 90.521 | 9.052      |



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Serving size affects reported data where noted. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

**Terpenes: 1g Cartridge - Baja Splash Ind - Bonanza (20260423-BONZ-013) PASS**

Terpenes analysis utilizing GC-MS (SOP-063-NY, SOP-069-NY)

| Analyte             | Result (% w/w) | MRL (% w/w) |
|---------------------|----------------|-------------|
| alpha-Pinene        | < MRL          | 0.13        |
| Camphene            | < MRL          | 0.13        |
| Sabinene            | < MRL          | 0.13        |
| beta-Pinene         | < MRL          | 0.13        |
| beta-Myrcene        | < MRL          | 0.13        |
| Alpha-phellandrene  | < MRL          | 0.13        |
| Carene              | < MRL          | 0.13        |
| alpha-terpinene     | < MRL          | 0.13        |
| p-Cymene            | < MRL          | 0.13        |
| Limonene            | 0.18           | 0.13        |
| Eucalyptol          | < MRL          | 0.13        |
| Ocimene             | < MRL          | 0.09        |
| gamma-Terpinene     | < MRL          | 0.13        |
| Sabinene Hydrate    | < MRL          | 0.13        |
| Terpinolene         | < MRL          | 0.13        |
| Linalool            | < MRL          | 0.13        |
| Fenchol             | < MRL          | 0.13        |
| Menthol             | < MRL          | 0.13        |
| Terpineol           | < MRL          | 0.13        |
| Citronellol         | < MRL          | 0.13        |
| Isopulegol          | < MRL          | 0.13        |
| Geraniol            | < MRL          | 0.13        |
| Alpha-cedrene       | < MRL          | 0.10        |
| Beta-Caryophyllene  | < MRL          | 0.13        |
| Farnesene           | < MRL          | 0.13        |
| alpha-Humulene      | < MRL          | 0.13        |
| Valencene           | < MRL          | 0.13        |
| cis-Nerolidol       | < MRL          | 0.05        |
| trans-Nerolidol     | 0.08           | 0.08        |
| Caryophyllene oxide | < MRL          | 0.13        |
| Guaiol              | < MRL          | 0.13        |
| alpha-Bisabolol     | < MRL          | 0.13        |

MRL = Minimum reporting limit/limit of quantification Test ID: #239970 | Date Tested: 04/28/2026 07:48 PM

| Terpenes Summary              | Result | Limit | Pass/Fail |
|-------------------------------|--------|-------|-----------|
| <b>Total Terpenes (% w/w)</b> | 0.26   | 10    | PASS      |



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Serving size affects reported data where noted. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

### Residual Solvents: 1g Cartridge - Baja Splash Ind - Bonanza (20260423-BONZ-013) PASS

Residual solvents and processing chemicals analysis utilizing Headspace Gas Chromatography – Mass Spectrometry (SOP-067-NY, SOP-010-NY)

| Analyte                                 | Pass/Fail | Result (µg/g) | Limit (µg/g) | MRL (µg/g) |
|---|-----------|---------------|--------------|------------|
| 1,2-Dichloroethane                      | PASS      | < MRL         | 5.00         | 3.500      |
| 2-Propanol                              | PASS      | < MRL         | 5000         | 500.000    |
| Acetone                                 | PASS      | < MRL         | 5000         | 2000.000   |
| Acetonitrile                            | PASS      | < MRL         | 410          | 40.000     |
| Butanes, total                          | PASS      | < MRL         | 5000         | 2500.000   |
| Benzene                                 | PASS      | < MRL         | 2.00         | 0.650      |
| Chloroform                              | PASS      | < MRL         | 60.0         | 6.000      |
| Dichloromethane                         | PASS      | < MRL         | 600          | 60.000     |
| Dimethyl Sulfoxide                      | PASS      | < MRL         | 5000         | 1000.000   |
| Ethanol                                 | PASS      | < MRL         | 5000         | 500.000    |
| Ethyl acetate                           | PASS      | < MRL         | 5000         | 500.000    |
| Ethyl ether                             | PASS      | < MRL         | 5000         | 500.000    |
| n-Heptane                               | PASS      | < MRL         | 5000         | 500.000    |
| Hexanes, total                          | PASS      | < MRL         | 290          | 30.000     |
| Methanol                                | PASS      | < MRL         | 3000         | 300.000    |
| Pentanes, total                         | PASS      | < MRL         | 5000         | 500.000    |
| Propane                                 | PASS      | < MRL         | 5000         | 500.000    |
| Tetrafluoroethane (1,1,1,2-) (HFC-134a) | PASS      | < MRL         | 1000         | 400.000    |
| Toluene                                 | PASS      | < MRL         | 890          | 100.000    |
| Trichloroethane                         | PASS      | < MRL         | 1500         | 1000.000   |
| Xylenes, total                          | PASS      | < MRL         | 2170         | 250.000    |

MRL = Minimum reporting limit/limit of quantification

Test ID: #239969 | Date Tested: 04/27/2026 07:05 PM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Serving size affects reported data where noted. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

**Pesticides: 1g Cartridge - Baja Splash Ind - Bonanza (20260423-BONZ-013) PASS**

Residual pesticide analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY)

| Analyte                 | Pass/Fail | Result (µg/g) | Limit (µg/g) | MRL (µg/g) |
|-------------------------|-----------|---------------|--------------|------------|
| Abamectin               | PASS      | < MRL         | 0.500        | 0.100      |
| Acephate                | PASS      | < MRL         | 0.400        | 0.100      |
| Acequinocyl             | PASS      | < MRL         | 2.00         | 0.100      |
| Acetamiprid             | PASS      | < MRL         | 0.200        | 0.100      |
| Aldicarb                | PASS      | < MRL         | 0.400        | 0.100      |
| Azadirachtin            | PASS      | < MRL         | 1.00         | 0.250      |
| Azoxystrobin            | PASS      | < MRL         | 0.200        | 0.100      |
| Bifenazate              | PASS      | < MRL         | 0.200        | 0.100      |
| Bifenthrin              | PASS      | < MRL         | 0.200        | 0.100      |
| Boscalid                | PASS      | < MRL         | 0.400        | 0.100      |
| Captan                  | PASS      | < MRL         | 1.00         | 0.500      |
| Carbaryl                | PASS      | < MRL         | 0.200        | 0.100      |
| Carbofuran              | PASS      | < MRL         | 0.200        | 0.100      |
| Chlorantranilprole      | PASS      | < MRL         | 0.200        | 0.100      |
| Chlordane               | PASS      | < MRL         | 1.00         | 0.100      |
| Chlorfenapyr            | PASS      | < MRL         | 1.00         | 0.100      |
| Chlormequat chloride    | PASS      | < MRL         | 1.00         | 0.100      |
| Chlorpyrifos            | PASS      | < MRL         | 0.200        | 0.100      |
| Clofentezine            | PASS      | < MRL         | 0.200        | 0.100      |
| Coumaphos               | PASS      | < MRL         | 1.00         | 0.100      |
| Cyfluthrin              | PASS      | < MRL         | 1.00         | 0.100      |
| Cypermethrin            | PASS      | < MRL         | 1.00         | 0.100      |
| Daminozide              | PASS      | < MRL         | 1.00         | 0.100      |
| Diazinon                | PASS      | < MRL         | 0.200        | 0.100      |
| Dichlorvos              | PASS      | < MRL         | 1.00         | 0.100      |
| Dimethoate              | PASS      | < MRL         | 0.200        | 0.100      |
| Dimethomorph            | PASS      | < MRL         | 1.00         | 0.100      |
| Ethoprophos             | PASS      | < MRL         | 0.200        | 0.100      |
| Etofenprox              | PASS      | < MRL         | 0.400        | 0.100      |
| Etoxazole               | PASS      | < MRL         | 0.200        | 0.100      |
| Fenhexamid              | PASS      | < MRL         | 1.00         | 0.100      |
| Fenoxycarb              | PASS      | < MRL         | 0.200        | 0.100      |
| Fenpyroximate           | PASS      | < MRL         | 0.400        | 0.100      |
| Fipronil                | PASS      | < MRL         | 0.400        | 0.100      |
| Flonicamid              | PASS      | < MRL         | 1.00         | 0.100      |
| Fludioxonil             | PASS      | < MRL         | 0.400        | 0.100      |
| Hexythiazox             | PASS      | < MRL         | 1.00         | 0.100      |
| Imazalil                | PASS      | < MRL         | 0.200        | 0.100      |
| Imidacloprid            | PASS      | < MRL         | 0.400        | 0.100      |
| Indole-3-butyric acid   | PASS      | < MRL         | 1.00         | 0.250      |
| Kresoxim-methyl         | PASS      | < MRL         | 0.400        | 0.100      |
| Malathion               | PASS      | < MRL         | 0.200        | 0.100      |
| Metalaxyl               | PASS      | < MRL         | 0.200        | 0.100      |
| Methiocarb              | PASS      | < MRL         | 0.200        | 0.100      |
| Methomyl                | PASS      | < MRL         | 0.400        | 0.100      |
| Methyl Parathion        | PASS      | < MRL         | 0.200        | 0.100      |
| Mevinphos               | PASS      | < MRL         | 1.00         | 0.100      |
| MGK-264 I/II            | PASS      | < MRL         | 0.200        | 0.100      |
| Myclobutanil            | PASS      | < MRL         | 0.200        | 0.100      |
| Naled                   | PASS      | < MRL         | 0.500        | 0.100      |
| Oxamyl                  | PASS      | < MRL         | 1.00         | 0.100      |
| Paclobutrazol           | PASS      | < MRL         | 0.400        | 0.100      |
| Pentachloronitrobenzene | PASS      | < MRL         | 1.00         | 0.100      |
| Permethrins, total      | PASS      | < MRL         | 0.200        | 0.100      |
| Phosmet                 | PASS      | < MRL         | 0.200        | 0.100      |
| Piperonyl butoxide      | PASS      | < MRL         | 2.00         | 0.100      |
| Prallethrin             | PASS      | < MRL         | 0.200        | 0.100      |
| Propiconazole           | PASS      | < MRL         | 0.400        | 0.100      |
| Propoxur                | PASS      | < MRL         | 0.200        | 0.100      |
| Pyrethrins              | PASS      | < MRL         | 1.00         | 0.100      |
| Pyridaben               | PASS      | < MRL         | 0.200        | 0.100      |
| Spinetoram, Total       | PASS      | < MRL         | 1.00         | 0.100      |
| Spinosad, Total         | PASS      | < MRL         | 0.200        | 0.100      |
| Spiromesifen            | PASS      | < MRL         | 0.200        | 0.100      |
| Spirotetramat           | PASS      | < MRL         | 0.200        | 0.100      |
| Spiroxamine             | PASS      | < MRL         | 0.200        | 0.100      |
| Tebuconazole            | PASS      | < MRL         | 0.400        | 0.100      |
| Thiacloprid             | PASS      | < MRL         | 0.200        | 0.100      |
| Thiamethoxam            | PASS      | < MRL         | 0.200        | 0.100      |
| Trifloxystrobin         | PASS      | < MRL         | 0.200        | 0.100      |

MRL = Minimum reporting limit/limit of quantification

Test ID: #239964 | Date Tested: 04/27/2026 01:45 PM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Serving size affects reported data where noted. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

| Mycotoxins: 1g Cartridge - Baja Splash Ind - Bonanza (20260423-BONZ-013)                        |           |               |   | PASS       |
|---|-----------|---------------|---|------------|
| Mycotoxin analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY) |           |               |   |            |
| Analyte   | Pass/Fail | Result (µg/g) | Limit (µg/g)  | MRL (µg/g) |
| Ochratoxin  | PASS      | < MRL         | 0.020   | 0.010      |
| Total Aflatoxins  | PASS      | < MRL         | 0.020   | 0.010      |
| MRL = Minimum reporting limit/limit of quantification   |           |               | Test ID: #239965   Date Tested: 04/29/2026 11:29 AM |            |

| Heavy Metals: 1g Cartridge - Baja Splash Ind - Bonanza (20260423-BONZ-013)                            |           |               |   | PASS       |
|---|-----------|---------------|---|------------|
| Heavy Metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (SOP-061-NY, SOP-072-NY) |           |               |   |            |
| Analyte   | Pass/Fail | Result (µg/g) | Limit (µg/g)  | MRL (µg/g) |
| Chromium  | PASS      | < MRL         | 110   | 8.00       |
| Nickel  | PASS      | < MRL         | 2.00  | 1.00       |
| Copper  | PASS      | < MRL         | 30.0  | 8.00       |
| Arsenic   | PASS      | < MRL         | 0.200   | 0.10       |
| Cadmium   | PASS      | < MRL         | 0.200   | 0.10       |
| Antimony  | PASS      | < MRL         | 2.00  | 1.00       |
| Mercury   | PASS      | < MRL         | 0.100   | 0.05       |
| Lead  | PASS      | < MRL         | 0.500   | 0.20       |
| MRL = Minimum reporting limit/limit of quantification   |           |               | Test ID: #239963   Date Tested: 04/28/2026 08:02 AM |            |

| Microbiology - Plating: 1g Cartridge - Baja Splash Ind - Bonanza (20260423-BONZ-013) |           |                 |  | PASS        |
|--|-----------|-----------------|--|-------------|
| Microbial analysis utilizing microbial enumeration (SOP-700-NY)                      |           |                 |  |             |
| Analyte  | Pass/Fail | Results (CFU/g) | Limit (CFU/g)  | MRL (CFU/g) |
| Total Aerobic Bacteria   | PASS      | < MRL           | 10000  | 100         |
| Total Yeast & Mold   | PASS      | < MRL           | 1000   | 100         |
| Microbiology - qPCR:   |           |                 |  |             |
| Microbial analysis utilizing quantitative Polymerase Chain Reaction (SOP-701-NY)     |           |                 |  |             |
| Analyte  | Pass/Fail | Results (CFU/g) | Limit (CFU/g)  | MRL (CFU/g) |
| Salmonella spp   | PASS      | Absent          | Absent   | 1           |
| Shiga toxin-producing E. coli  | PASS      | Absent          | Absent   | 1           |
| Aspergillus (fumigatus, flavus, niger, terreus)                                      | PASS      | Absent          | Absent   | 1           |
| MRL = Minimum reporting limit/limit of quantification                                |           |                 | Test IDs: #239972, #239971, #239974, #239973   Date Tested: 04/30/2026 07:51 AM, 04/30/2026 08:18 AM, 04/27/2026 02:09 PM, 04/27/2026 01:58 PM |             |



Matthew Elmes  
Lab Director  
4/30/2026

**Deviations:** Contamination present in Aerobic Count Method Blank. No presence in sample data.



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Serving size affects reported data where noted. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.